




SPLITTER SILENCER

SPLITTER SILENCER

Overview




- Baffle type silencers
- Galvanised steel casing with perforated steel lining and baffles
- Infill is glass tissue faced high density mineral wool

Product Code	Insertion Loss @ Octave band							
	63	125	250	500	1K	2K	4K	8K
068-0350-MFB	-4	-6	-14	-23	-30	-29	-20	-14
068-0400-MFB	-4	-6	-14	-23	-30	-29	-20	-14
068-0450-MFB	-4	-9	-13	-25	-31	-30	-22	-15
068-0500-MFB	-4	-9	-14	-24	-30	-30	-23	-16
068-0550-MFB	-4	-6	-11	-22	-28	-27	-18	-14
068-0650-MFB	-4	-7	-13	-24	-26	-25	-17	-12
068-0700-MFB	-4	-7	-13	-24	-26	-25	-17	-12
068-0800-MFB	-5	-8	-16	-27	-30	-30	-21	-16
068-1000-MFB	-5	-9	-12	-22	-26	-23	-16	-12

Dimensional Data

Product Code	A	B	C	D	E	Ductmate Flange	Weight kg
068-0350-MFB	350	400	1200	9	375	25	24
068-0400-MFB	400	450	1200	9	425	25	31
068-0450-MFB	450	500	1200	9	475	25	38
068-0500-MFB	500	550	1200	9	525	25	42
068-0550-MFB	550	620	1200	11	585	35	49
068-0650-MFB	650	720	1500	11	685	35	74
068-0700-MFB	700	770	1500	11	735	35	81
068-0800-MFB	800	870	1800	11	835	35	117
068-1000-MFB	1000	1070	1800	11	1035	35	164



Dimensions are in mm.

SPLITTER SILENCER

Notes

This image shows a single sheet of white paper with horizontal blue ruling lines. The lines are evenly spaced and run across the width of the page. There are no margins, text, or other markings on the paper.

Building Services

Tel **+44 (0) 1384 275800**
Fax **+44 (0) 1384 275810**
Email **info@eltafans.co.uk**

46 Third Avenue, Pensnett Trading Estate, Kingswinford,
West Midlands, DY6 7US United Kingdom

Applied Technology & Building Services Export

Tel **+44 (0) 1489 566500**
Fax **+44 (0) 1489 566555**
Email **at@eltafans.co.uk / export@eltafans.co.uk**

17 Barnes Wallis Road, Segensworth East Industrial Estate,
Fareham, Hampshire, PO15 5ST United Kingdom

eltafans.com

068-MFB-03-2018 Issue A



BS EN ISO 9001:2015 FM 556465



A MEMBER OF  ELTA GROUP