

Revision date: 20/09/2018 Supersedes: 12/10/2017 Version: 4.02

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product form : Mixture

Trade name : Agrocid Super™Oligo

Product code : 249

1.2. Relevant identified uses of the substance or mixture and uses advised against

1.2.1. Relevant identified uses

Main use category : Industrial/Professional use spec

Use of the substance/mixture : See product bulletin for detailed information

1.2.2. Uses advised against

No additional information available

1.3. Details of the supplier of the safety data sheet

CID LINES NV Waterpoortstraat, 2 B-8900 leper - Belgique

T + 32 57 21 78 77 - F +32 57 21 78 79 sds@cidlines.com - http://www.cidlines.com

1.4. Emergency telephone number

Country	Organisation/Company	Address	Emergency number	Comment
Australia	Poisons Information Centre		13 11 26	
New Zealand	The National Poisons Centre	University of Otago, 2nd Floor, Adams Building, 18 Frederick Street, 9016 Dunedin	0800 764 766 0800 POISON	
United Kingdom	Guy's & St Thomas' Poisons Unit Medical Toxicology Unit, Guy's & St Thomas' Hospital Trust	Avonley Road SE14 5ER London	+44 20 7188 7188	

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP]

Skin corrosion/irritation, Category 1A H314
Hazardous to the aquatic environment — H412

Chronic Hazard, Category 3

Full text of H statements : see section 16

Adverse physicochemical, human health and environmental effects

Skin corrosion - Category 1A - Danger (CLP: Skin Corr. 1A). Serious eye damage/eye irritation Category 1. Hazardous to the aquatic environment - Chronic Hazard Category 3.

2.2. Label elements

Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms (CLP)



GHS05

Signal word (CLP) : Danger

Hazardous ingredients : Formic acid; Propionic acid

Hazard statements (CLP)

: H314 - Causes severe skin burns and eye damage.

H412 - Harmful to aquatic life with long lasting effects.

Precautionary statements (CLP) : P260 - Do not breathe dust, fume, gas, mist, vapours, spray.

P273 - Avoid release to the environment.

P280 - Wear protective gloves, protective clothing, eye protection, face protection. P301+P330+P331 - IF SWALLOWED: rinse mouth. Do NOT induce vomiting.

P303 - IF ON SKIN (or hair): Remove immediately contaminated clothing, Wash with plenty of

soap and water

P305 - IF IN EYES: Rinse cautiously with water for several minutes, Remove contact lenses, if

present and easy to do. Continue rinsing

20/09/2018 EU - en 1/10

Safety Data Sheet

P310 - Immediately call a POISON CENTER/doctor

P321 - Specific treatment.

2.3. Other hazards

No additional information available

SECTION 3: Composition/information on ingredients

3.1. Substances

Not applicable

3.2. Mixtures

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
Formic acid	(CAS-No.) 64-18-6 (EC-No.) 200-579-1 (EC Index-No.) 607-001-00-0 (REACH-no) 01-2119491174-37	35 - 50	Skin Corr. 1A, H314
Propionic acid	(CAS-No.) 79-09-4 (EC-No.) 201-176-3 (EC Index-No.) 607-089-00-0 (REACH-no) 01-2119486971-24	15 - 30	Skin Corr. 1B, H314 STOT SE 3, H335
L-(+)-Lactic acid	(CAS-No.) 79-33-4 (EC-No.) 201-196-2 (REACH-no) 01-2119474164-39	5 - 15	Skin Irrit. 2, H315 Eye Dam. 1, H318
Citric acid monohydrate	(CAS-No.) 5949-29-1 (EC-No.) 201-069-1 (REACH-no) 01-2119457026-42	1 - 5	Eye Irrit. 2, H319
Zinc chloride	(CAS-No.) 7646-85-7 (EC-No.) 231-592-0 (EC Index-No.) 30-003-00-2 (REACH-no) Pre-registered	0.1 - 1	Skin Corr. 1B, H314 Acute Tox. 4 (Oral), H302 Aquatic Acute 1, H400 Aquatic Chronic 1, H410
Dicopper chloride trihydroxide	(CAS-No.) 1332-65-6 (EC-No.) 215-572-9 (REACH-no) 01-2119966120-46	0.1 - 1	Not classified

Full text of H-statements: see section 16

SECTION 4: First aid measures

4.1. Description of first aid measures

First-aid measures after inhalation : Remove person to fresh air and keep comfortable for breathing. Seek medical attention

immediately

First-aid measures after skin contact : Remove affected clothing and wash all exposed skin area with mild soap and water, followed

by warm water rinse. Seek medical advice (show the label where possible).

First-aid measures after eye contact : Rinse immediately with plenty of water. Seek medical attention immediately.

First-aid measures after ingestion : Rinse mouth. Do not induce vomiting because of corrosive effects. Take to hospital.

4.2. Most important symptoms and effects, both acute and delayed

Symptoms/effects after inhalation : Inhalation of vapour can cause breathing difficulties. Cough. Sore throat.

Symptoms/effects after skin contact : Redness, pain. Causes severe skin burns and eye damage. Symptoms/effects after eye contact : Redness, pain. Blurred vision. Tears. Serious damage to eyes.

Symptoms/effects after ingestion : Burning sensation. Cough. Cramps. May cause burns or irritation of the linings of the mouth,

throat, and gastrointestinal tract.

4.3. Indication of any immediate medical attention and special treatment needed

In case of accident or if you feel unwell, seek medical advice immediately (show the label where possible).

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media : Dry chemical. Foam. Carbon dioxide.
Unsuitable extinguishing media : Do not use a heavy water stream.

5.2. Special hazards arising from the substance or mixture

Fire hazard : Not flammable.

Explosion hazard : Not expected to be a fire/explosion hazard under normal conditions of use.

Hazardous decomposition products in case of : Toxic fumes may be released. Corrosive vapours.

fire

20/09/2018 EU - en 2/10

Safety Data Sheet

5.3. Advice for firefighters

Precautionary measures fire : Wear fire/flame resistant/retardant clothing. Eliminate all ignition sources if safe to do so.

Firefighting instructions : Use water spray or fog for cooling exposed containers.

Protection during firefighting : Exercise caution when fighting any chemical fire. Do not enter fire area without proper

protective equipment, including respiratory protection. Wear fire/flame resistant/retardant

clothing. Heat resistant gloves.

Other information : On exposure to high temperature, may decompose, releasing toxic gases.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

General measures

: Spill should be handled by trained cleaning personnel properly equipped with respiratory and eye protection. Stop leak if safe to do so. Prevent from entering sewers, basements and workpits, or any place where its accumulation can be dangerous.

6.1.1. For non-emergency personnel

No additional information available

6.1.2. For emergency responders

No additional information available

6.2. Environmental precautions

Prevent entry to sewers and public waters. Notify authorities if product enters sewers or public waters.

6.3. Methods and material for containment and cleaning up

For containment : Stop lea

: Stop leak without risks if possible. Collect spillage. Use suitable disposal containers.

Methods for cleaning up : Clean up any spills as soon as possible, using an absorbent material to collect it. Use suitable

disposal containers. Recover the cleaning water for later disposal.

6.4. Reference to other sections

No additional information available

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Precautions for safe handling

: Handle in accordance with good industrial hygiene and safety procedures. Avoid all

unnecessary exposure.

Hygiene measures

: Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work. Handle in accordance with good industrial hygiene and safety procedures.

7.2. Conditions for safe storage, including any incompatibilities

Storage conditions

: Protect from freezing. Keep at temperature not exceeding 50 °C. Keep container closed when

7.3. Specific end use(s)

No additional information available

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Formic acid (64-18-6)		
EU	Local name	Formic acid
EU	IOELV TWA (mg/m³)	9 mg/m³
EU	IOELV TWA (ppm)	5 ppm
EU	Regulatory reference	COMMISSION DIRECTIVE 2006/15/EC
United Kingdom	Local name	Formic acid
United Kingdom	WEL TWA (mg/m³)	9.6 mg/m³
United Kingdom	WEL TWA (ppm)	5 ppm
United Kingdom	Regulatory reference	EH40. HSE
Propionic acid (79-09-4)		

Propionic acid (79-09-4	4)	
EU	Local name	Propionic acid
EU	IOELV TWA (mg/m³)	31 mg/m³
EU	IOELV TWA (ppm)	10 ppm
EU	IOELV STEL (mg/m³)	62 mg/m³
EU	IOELV STEL (ppm)	20 ppm
EU	Regulatory reference	COMMISSION DIRECTIVE 2000/39/EC
United Kingdom	Local name	Propionic acid
United Kingdom	WEL TWA (mg/m³)	31 mg/m³
United Kingdom	WEL TWA (ppm)	10 ppm

20/09/2018 EU - en 3/10

Safety Data Sheet

Propionic acid (79-09-4)		
United Kingdom	WEL STEL (mg/m³)	46 mg/m³
United Kingdom	WEL STEL (ppm)	15 ppm
United Kingdom	Regulatory reference	EH40. HSE

Formic acid (64-18-6)		
DNEL/DMEL (Workers)		
Acute - local effects, inhalation	19 mg/m³	
Long-term - local effects, inhalation	9.5 mg/m³	
DNEL/DMEL (General population)		
Acute - local effects, inhalation	9.5 mg/m³	
Long-term - local effects, inhalation	3 mg/m³	
PNEC (Water)		
PNEC aqua (freshwater)	2 mg/l Assessment factor: 50	
PNEC aqua (marine water)	0.2 mg/l Assessment factor: 500	
PNEC aqua (intermittent, freshwater)	1 mg/l Assessment factor: 100	
PNEC (Sediment)		
PNEC sediment (freshwater)	13.4 mg/kg dwt	
PNEC sediment (marine water)	1.34 mg/kg dwt	
PNEC (Soil)		
PNEC soil	1.5 mg/kg dwt	
PNEC (STP)		
PNEC sewage treatment plant	7.2 mg/l Assessment factor: 10	
L-(+)-Lactic acid (79-33-4)		
DNEL/DMEL (Workers)		
Acute - local effects, inhalation	592 mg/m³	
DNEL/DMEL (General population)		
Acute - systemic effects, oral	35.4 mg/kg bodyweight	
Acute - local effects, inhalation	296 mg/m³	
PNEC (Water)		
PNEC aqua (freshwater)	1.3 mg/l Assessment Factor100	
PNEC (STP)		
PNEC sewage treatment plant	10 mg/l Assessment Factor100	

8.2. Exposure controls

Appropriate engineering controls:

Provide local exhaust or general room ventilation.

Personal protective equipment:

Gloves. Protective clothing. Protective goggles.

Hand protection:

Chemical resistant PVC gloves (to European standard EN 374 or equivalent)

Туре	Material	Permeation	Thickness (mm)	Penetration	Standard
Reusable gloves	Polyvinylchloride (PVC)	6 (> 480 minutes)	0.5	2 (< 1.5)	EN 374

Eye protection:

Eye protection should only be necessary where liquid could be splashed or sprayed

Туре	Use	Characteristics	Standard
Safety glasses, Safety goggles	Dust, Droplet	clear, Plastic	EN 166

Skin and body protection:

If skin contact or contamination of clothing is possible, protective clothing should be worn

Туре	Standard
	EN14605:2005+A1:2009

Respiratory protection:

No special respiratory protection equipment is recommended under normal conditions of use with adequate ventilation

Personal protective equipment symbol(s):

20/09/2018 EU - en 4/10

Safety Data Sheet







Consumer exposure controls:

Ingestion unlikely.

SECTION 9: Physical and chemical properties

Information on basic physical and chemical properties

: Liquid Physical state Appearance : clear. Colour : Blue. Odour : acid.

Odour threshold No data available

рΗ

≈ 2.5 (1%) Relative evaporation rate (butylacetate=1) : No data available Melting point : No data available Freezing point No data available : No data available Boiling point Flash point : No data available Auto-ignition temperature : No data available Decomposition temperature No data available Flammability (solid, gas) No data available Vapour pressure : No data available Relative vapour density at 20 °C : No data available Relative density No data available : ≈ 1.13 kg/l Density Solubility : Water: 100 % Log Pow : No data available No data available No data available

Viscosity, kinematic Viscosity, dynamic Explosive properties : No data available

Oxidising properties : No data available **Explosive limits** : No data available

Other information

No additional information available

SECTION 10: Stability and reactivity

Reactivity 10.1.

None under normal conditions.

Chemical stability

The product is stable at normal handling and storage conditions.

Possibility of hazardous reactions

None under normal conditions.

Conditions to avoid

No additional information available

10.5. Incompatible materials

Strong alkalis.

Hazardous decomposition products

None under normal conditions.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity (oral) : Not classified Acute toxicity (dermal) : Not classified

20/09/2018 EU - en 5/10

Safety Data Sheet

Acute toxicity (inhalation) : Not classified

Skin corrosion/irritation : Causes severe skin burns and eye damage.

pH: $\approx 2.5 (1\%)$

Serious eye damage/irritation : Serious eye damage, category 1, implicit

pH: ≈ 2.5 (1%)

Respiratory or skin sensitisation : Not classified
Germ cell mutagenicity : Not classified
Carcinogenicity : Not classified
Reproductive toxicity : Not classified

STOT-single exposure : Not classified
STOT-repeated exposure : Not classified
Aspiration hazard : Not classified

SECTION 12: Ecological information

12.1. Toxicity

Ecology - general : This product contains hazardous components for the environment. May cause long-term

adverse effects in the aquatic environment.

Acute aquatic toxicity : Not classified

Chronic aquatic toxicity : Harmful to aquatic life with long lasting effects.

12.2. Persistence and degradability

No additional information available

12.3. Bioaccumulative potential

No additional information available

12.4. Mobility in soil

No additional information available

12.5. Results of PBT and vPvB assessment

No additional information available

12.6. Other adverse effects

No additional information available

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Regional legislation (waste) : Dispose in a safe manner in accordance with local/national regulations.

Waste treatment methods : Dispose of this material and its container at hazardous or special waste collection point.

Hazardous waste due to toxicity. Avoid release to the environment. Dispose in a safe manner in

accordance with local/national regulations.

Sewage disposal recommendations : Disposal must be done according to official regulations.

Product/Packaging disposal recommendations : When totally empty, containers are recyclable like any other packing. Dispose in a safe manner

in accordance with local/national regulations. Avoid release to the environment.

European List of Waste (LoW) code : 07 06 01* - aqueous washing liquids and mother liquors

SECTION 14: Transport information

In accordance with ADR / RID / IMDG / IATA / ADN

14.1. UN number

 UN-No. (ADR)
 : 3265

 UN-No. (IMDG)
 : 3265

 UN-No. (IATA)
 : 3265

 UN-No. (ADN)
 : 3265

 UN-No. (RID)
 : 3265

14.2. UN proper shipping name

Proper Shipping Name (ADR)

CORROSIVE LIQUID, ACIDIC, ORGANIC, N.O.S. (Formic acid; Propionic acid)

Proper Shipping Name (IMDG)

CORROSIVE LIQUID, ACIDIC, ORGANIC, N.O.S. (Formic acid; Propionic acid)

Proper Shipping Name (IATA)

CORROSIVE LIQUID, ACIDIC, ORGANIC, N.O.S. (Formic acid; Propionic acid)

Proper Shipping Name (ADN)

CORROSIVE LIQUID, ACIDIC, ORGANIC, N.O.S. (Formic acid; Propionic acid)

20/09/2018 EU - en 6/10

Safety Data Sheet

Proper Shipping Name (RID) : CORROSIVE LIQUID, ACIDIC, ORGANIC, N.O.S. (Formic acid ; Propionic acid)

Transport document description (ADR) : UN 3265 CORROSIVE LIQUID, ACIDIC, ORGANIC, N.O.S. (Formic acid; Propionic acid), 8,

III, (E)

Transport document description (IMDG) : UN 3265 CORROSIVE LIQUID, ACIDIC, ORGANIC, N.O.S. (Formic acid ; Propionic acid), 8,

1111

Transport document description (IATA) : UN 3265 CORROSIVE LIQUID, ACIDIC, ORGANIC, N.O.S. (Formic acid ; Propionic acid), 8,

...

Transport document description (ADN) : UN 3265 CORROSIVE LIQUID, ACIDIC, ORGANIC, N.O.S. (Formic acid; Propionic acid), 8,

Ш

Transport document description (RID) : UN 3265 CORROSIVE LIQUID, ACIDIC, ORGANIC, N.O.S. (Formic acid ; Propionic acid), 8,

Ш

14.3. Transport hazard class(es)

ADR

Transport hazard class(es) (ADR) : 8
Danger labels (ADR) : 8



IMDG

Transport hazard class(es) (IMDG) : 8
Danger labels (IMDG) : 8



IATA

Transport hazard class(es) (IATA) : 8
Hazard labels (IATA) : 8



ADN

Transport hazard class(es) (ADN) : 8
Danger labels (ADN) : 8



RID

Transport hazard class(es) (RID) : 8
Danger labels (RID) : 8



20/09/2018 EU - en 7/10

Safety Data Sheet

14.4. **Packing group**

Packing group (ADR) : 111 Packing group (IMDG) : III Packing group (IATA) : III : 111 Packing group (ADN) : 111 Packing group (RID)

Environmental hazards

Dangerous for the environment : No Marine pollutant : No

Other information : Clean up even minor leaks or spills, if possible, without unnecessary risk

Special precautions for user

Special transport precautions

: Ensure vehicle driver is aware of the potential hazards of the load and knows what to do in the event of an accident or an emergency, No naked flames, sparks, and do not smoke, Keep public away from danger area, NOTIFY POLICE AND FIRE BRIGADE IMMEDIATELY

- Overland transport

Classification code (ADR) : C3 : 274 Special provisions (ADR) Limited quantities (ADR) : 51 Excepted quantities (ADR) : E1

: P001, IBC03, LP01, R001 Packing instructions (ADR)

Mixed packing provisions (ADR) : MP19 Portable tank and bulk container instructions : T7

(ADR)

Portable tank and bulk container special

: TP1, TP28

provisions (ADR)

: 80

: SW2

: 153

Tank code (ADR) : L4BN Vehicle for tank carriage : AT Transport category (ADR) : 3 Special provisions for carriage - Packages : V12

(ADR)

Hazard identification number (Kemler No.)

Orange plates

80

Tunnel restriction code (ADR) : E EAC code : 2X APP code : B

- Transport by sea

Special provisions (IMDG) : 223, 274 Limited quantities (IMDG) : 5 L Excepted quantities (IMDG) : E1 Packing instructions (IMDG) : P001, LP01 IBC packing instructions (IMDG) : IBC03

Tank instructions (IMDG) T7 Tank special provisions (IMDG) : TP1, TP28 : F-A EmS-No. (Fire) : S-B EmS-No. (Spillage) : A Stowage category (IMDG)

- Air transport

MFAG-No

Stowage and handling (IMDG)

PCA Excepted quantities (IATA) : E1 PCA Limited quantities (IATA) : Y841 PCA limited quantity max net quantity (IATA) : 1L PCA packing instructions (IATA) : 852 : 5L PCA max net quantity (IATA)

20/09/2018 EU - en 8/10

Safety Data Sheet

CAO packing instructions (IATA) : 856
CAO max net quantity (IATA) : 60L
Special provisions (IATA) : A3
ERG code (IATA) : 8L

- Inland waterway transport

Classification code (ADN) : C3

Special provisions (ADN) : 274

Limited quantities (ADN) : 5 L

Excepted quantities (ADN) : E1

Carriage permitted (ADN) : T

Equipment required (ADN) : PP, EP

Number of blue cones/lights (ADN) : 0

- Rail transport

Classification code (RID) : C3

Special provisions (RID) : 274

Limited quantities (RID) : 5L

Excepted quantities (RID) : E1

Packing instructions (RID) : P001, IBC03, LP01, R001

Mixed packing provisions (RID) : MP19
Portable tank and bulk container instructions : T7

(RID)

Portable tank and bulk container special

provisions (RID)

: TP1, TP28

Tank codes for RID tanks (RID) : L4BN
Transport category (RID) : 3
Special provisions for carriage – Packages : W12

(RID)

Colis express (express parcels) (RID) : CE8
Hazard identification number (RID) : 80

14.7. Transport in bulk according to Annex II of Marpol and the IBC Code

Not applicable

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

15.1.1. EU-Regulations

Contains no REACH substances with Annex XVII restrictions

Contains no substance on the REACH candidate list

Contains no REACH Annex XIV substances

Other information, restriction and prohibition regulations

: Ensure all national/local regulations are observed. PIC Regulation EU (649/2012) - Export and Import of hazardous chemicals. {0} is subject to REGULATION (EU) No 649/2012 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 4 July 2012 concerning the export and import of hazardous chemicals.

15.1.2. National regulations

No additional information available

15.2. Chemical safety assessment

No additional information available

SECTION 16: Other information

Other information

: DISCLAIMER OF LIABILITY The information in this SDS was obtained from sources which we believe are reliable. However, the information is provided without any warranty, express or implied, regarding its correctness. The conditions or methods of handling, storage, use or disposal of the product are beyond our control and may be beyond our knowledge. For this and other reasons, we do not assume responsibility and expressly disclaim liability for loss, damage or expense arising out of or in any way connected with the handling, storage, use or disposal of the product. This SDS was prepared and is to be used only for this product. If the product is used as a component in another product, this SDS information may not be applicable.

20/09/2018 EU - en 9/10

Agrocid Super™Oligo Safety Data Sheet

Full text of H- and EUH-statements:

Acute toxicity (oral), Category 4
Hazardous to the aquatic environment — Acute Hazard, Category 1
Hazardous to the aquatic environment — Chronic Hazard, Category 1
Hazardous to the aquatic environment — Chronic Hazard, Category 3
Serious eye damage/eye irritation, Category 1
Serious eye damage/eye irritation, Category 2
Skin corrosion/irritation, Category 1A
Skin corrosion/irritation, Category 1B
Skin corrosion/irritation, Category 2
Specific target organ toxicity — Single exposure, Category 3, Respiratory tract irritation
Harmful if swallowed.
Causes severe skin burns and eye damage.
Causes skin irritation.
Causes serious eye damage.
Causes serious eye irritation.
May cause respiratory irritation.
Very toxic to aquatic life.
Very toxic to aquatic life with long lasting effects.
Harmful to aquatic life with long lasting effects.

SDSCLP3

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product

20/09/2018 10/10 EU - en