

SAFETY DATA SHEET FAM 30

SECTION 1: Identification of t	he substance/mixture and of the company/undertaking
1.1. Product identifier	
Product name	FAM 30
Product number	R067 EV
Internal identification	Livestock
1.2. Relevant identified uses of	of the substance or mixture and uses advised against
Identified uses	Acidic based lodine disinfectant for animal hygiene.
1.3. Details of the supplier of t	he safety data sheet
Supplier	
	Evans Vanodine International
	Brierley Road
	Walton Summit Preston. UK. PR5 8AH
	Tel: 01772 322 200
	Fax: 01772 626 000
	qclab@evansvanodine.co.uk
1.4. Emergency telephone nu	mber
Emergency telephone	New Safety Data Sheets - 8.30am to 4.45pm - 01772 322 200 - Mon to Fri. (Also available 24/7 from our website www.evansvanodine.co.uk) Technical Advice - 8.30am to 4.45pm - 01772 318 818 - Mon to Fri
SECTION 2: Hazards identific	ation
2.1. Classification of the subst	
Classification (EC 1272/2008) Physical hazards	Not Classified
Health hazards	Skin Corr. 1B - H314 Eye Dam. 1 - H318
Environmental hazards	Not Classified
2.2. Label elements	
Pictogram	
Signal word	Danger
Hazard statements	H314 Causes severe skin burns and eye damage.

Precautionary statements	 P102 Keep out of reach of children. P260 Do not breathe mist. P280 Wear protective gloves/ protective clothing/ eye protection/ face protection. P301+P330+P331 IF SWALLOWED: Rinse mouth. Do NOT induce vomiting. P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/ shower. P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing. P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P315 Get immediate medical advice/ attention. P501 Dispose of contents/ container in accordance with local regulations.
Contains	SULPHURIC ACID, PHOSPHORIC ACID

2.3. Other hazards

This product does not contain any substances classified as PBT or vPvB.

SECTION 3: Composition/information on ingredients

3.2. Mixtures

ALCOHOL (C9-11) ETHOXYLAT	E (8EO)	20-25%
CAS number: 68439-45-2		
Alternative CAS No 13598-36-2		
Classification		
Acute Tox. 4 - H302		
Eye Dam. 1 - H318		
SULPHURIC ACID		5-10%
CAS number: 7664-93-9	EC number: 231-639-5	
Spec Conc Limits :- Skin Corr. 1A	\ (H314) ≥ 15 %, Skin Irrit.2 (H315) >5% <15 %, Eye Irrit. 2 (H319) >5%<15%	
Classification		
Skin Corr. 1A - H314		
Eye Dam. 1 - H318		
PHOSPHORIC ACID		5-10%
CAS number: 7664-38-2	EC number: 231-633-2	
Spec Conc Limits :- Skin Corr. 1B	3 (H314) ≥ 25%, Skin Irrit. 2 (H315) >10% <25%, Eye Irrit. 2 (H319) >10%	
Classification		
Skin Corr. 1B - H314		
Eye Dam. 1 - H318		

IODINE	1-3%
CAS number: 7553-56-2	EC number: 231-442-4
M factor (Acute) = 1	
Classification	
Acute Tox. 4 - H312	
Acute Tox. 4 - H332	
Skin Irrit. 2 - H315 Eye Irrit. 2 - H319	
STOT SE 3 - H335	
Aquatic Acute 1 - H400	
The Full Text for all R-Phrase	es and Hazard Statements are Displayed in Section 16.
SECTION 4: First aid measu	res
4.1. Description of first aid m	easures
Inhalation	Unlikely route of exposure as the product does not contain volatile substances. If spray/mist has been inhaled, proceed as follows. Move affected person to fresh air and keep warm and at rest in a position comfortable for breathing.
Ingestion	Do not induce vomiting. Rinse mouth thoroughly with water. Give plenty of water to drink. Ge medical attention immediately.
Skin contact	Wash with plenty of water. Get medical attention promptly if symptoms occur after washing.
Eye contact	Rinse immediately with plenty of water. Remove any contact lenses and open eyelids wide apart. Continue to rinse. Get medical attention immediately.
4.2. Most important symptom	is and effects, both acute and delayed
General information	The severity of the symptoms described will vary dependent on the concentration and the length of exposure.
Inhalation	Irritation of nose, throat and airway.
Ingestion	May cause chemical burns in mouth and throat.
Skin contact	Burning pain and severe corrosive skin damage. May cause serious chemical burns to the skin.
Eye contact	Severe irritation, burning and tearing. Prolonged contact causes serious eye and tissue damage.
4.3. Indication of any immedi	ate medical attention and special treatment needed
Notes for the doctor	Treat symptomatically.
SECTION 5: Firefighting mea	asures
5.1. Extinguishing media	
Suitable extinguishing media	The product is not flammable. Use fire-extinguishing media suitable for the surrounding fire.

5.2. Special hazards arising from the substance or mixture

Specific hazardsThermal decomposition or combustion products may include the following substances:Irritating gases or vapours.

5.3. Advice for firefighters

Special protective equipment for firefighters	Wear positive-pressure self-contained breathing apparatus (SCBA) and appropriate protective clothing.	
SECTION 6: Accidental release measures		
6.1. Personal precautions, pro	tective equipment and emergency procedures	
Personal precautions	Wear protective clothing, gloves, eye and face protection. For personal protection, see Section 8.	
6.2. Environmental precaution	<u>s</u>	
Environmental precautions	Spillages or uncontrolled discharges into watercourses must be reported immediately to the Environmental Agency or other appropriate regulatory body.	
6.3. Methods and material for	containment and cleaning up	
Methods for cleaning up	Flush away spillage with plenty of water. Small Spillages: Contain and absorb spillage with sand, earth or other non-combustible material. Collect and place in suitable waste disposal containers and seal securely.	
6.4. Reference to other section	ns	
Reference to other sections	For personal protection, see Section 8.	
SECTION 7: Handling and sto	rage	
7.1. Precautions for safe hand	ling	
Usage precautions	Wear protective clothing, gloves, eye and face protection.	
7.2. Conditions for safe storag	e, including any incompatibilities	
Storage precautions	Keep only in the original container in a cool, well-ventilated place. Store away from the following materials: Oxidising materials.	
7.3. Specific end use(s)		
Specific end use(s)	The identified uses for this product are detailed in Section 1.2.	
Usage description	See Product Information Sheet & Label for detailed use of this product.	
SECTION 8: Exposure Controls/personal protection		
8.1. Control parameters Occupational exposure limits SULPHURIC ACID		
Long-term exposure limit (8-hour TWA): WEL 0,05 mg/m³ Short-term exposure limit (15-minute): WEL		
PHOSPHORIC ACID		
Long-term exposure limit (8-hour TWA): WEL 1 mg/m³ Short-term exposure limit (15-minute): WEL 2 mg/m³		
IODINE		
Short-term exposure limit (15-minute): WEL 0.1 ppm 1.1 mg/m ³		

Short-term exposure limit (15-minute): WEL 0.1 ppm 1.1 mg/m³ WEL = Workplace Exposure Limit

8.2. Exposure controls

Protective equipment



Appropriate engineering controls	This product must not be handled in a confined space without adequate ventilation.
Eye/face protection	The following protection should be worn: Chemical splash goggles or face shield.
Hand protection	Wear protective gloves. Polyvinyl chloride (PVC).
Other skin and body protection	Wear appropriate clothing to prevent any possibility of skin contact.
Respiratory protection	Respiratory protection not required.
SECTION 9: Physical and Che	emical Properties
9.1. Information on basic phys	ical and chemical properties
Appearance	Liquid.
Colour	Clear. Dark brown.
Odour	Faint surfactant / Faint Iodine.
рН	pH (concentrated solution): 0
Melting point	-2°C
Initial boiling point and range	102°C @ 760 mm Hg
Flash point	Boils without flashing.
Relative density	1.170 @ 20°C
Solubility(ies)	Soluble in water.
9.2. Other information	
Other information	None.
SECTION 10: Stability and rea	activity
10.1. Reactivity	
Reactivity	Reacts with alkalis and generates heat.
10.2. Chemical stability	
Stability	No particular stability concerns.
10.3. Possibility of hazardous	reactions
Possibility of hazardous reactions	See sections 10.1,10.4 & 10.5
10.4. Conditions to avoid	
Conditions to avoid	Avoid exposure to high temperatures or direct sunlight.
10.5. Incompatible materials	
Materials to avoid	Aluminium, Tin, Zinc and their alloys. Strong alkalis. Chlorine releasing materials will liberate toxic chlorine gas. Oxidising agents as lodine vapour may be evolved.
10.6. Hazardous decomposition products	
Hazardous decomposition products	When heated, vapours/gases hazardous to health may be formed.
SECTION 11: Toxicological information	

11.1. Information on toxicological effects **Toxicological effects** Figures quoted below were from ATE (Acute Toxicity Estimate) Calculation Methods using LD50 or ATE figures provided by the raw material manufacturer. Acute toxicity - oral Notes (oral LD₅₀) Based on available data the classification criteria are not met. ATE oral (mg/kg) 4,131.78307724 Acute toxicity - dermal Notes (dermal LD₅₀) Based on available data the classification criteria are not met. 50,179.98560384 ATE dermal (mg/kg) Acute toxicity - inhalation Notes (inhalation LC₅₀) Based on available data the classification criteria are not met. 387.35427484 ATE inhalation (vapours mg/l) **SECTION 12: Ecological Information** Ecotoxicity The product may affect the acidity (pH) of water which may have hazardous effects on aquatic organisms. 12.1. Toxicity Toxicity No Aquatic Toxicity Data for this product. Any data for ingredients with aquatic toxicity provided by the raw material manufacturer can be made available on request. 12.2. Persistence and degradability Persistence and degradability The surfactant(s) contained in this product complies(comply) with the biodegradability criteria as laid down in Regulation (EC) No. 648/2004 on detergents. 12.3. Bioaccumulative potential **Bioaccumulative potential** The product does not contain any substances expected to be bioaccumulating. 12.4. Mobility in soil Mobility Not known. 12.5. Results of PBT and vPvB assessment Results of PBT and vPvB This product does not contain any substances classified as PBT or vPvB. assessment 12.6. Other adverse effects Other adverse effects Not known SECTION 13: Disposal considerations 13.1. Waste treatment methods **Disposal methods** Discharge used solutions to drain. Small amounts (less than 5 Litres) of unwanted product may be flushed with water to sewer. Larger volumes must be sent for disposal as special waste. Rinse out empty container with water and consign to normal waste. SECTION 14: Transport information 14.1. UN number UN No. (ADR/RID) 3264

UN No. (IMDG)	3264	
UN No. (ICAO)	3264	
14.2. UN proper shipping name	9	
Proper shipping name (ADR/RID)	CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S. (sulphuric acid & phosphoric acid solution)	
Proper shipping name (IMDG)	CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S. (sulphuric acid & phosphoric acid solution)	
Proper shipping name (ICAO)	CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S. (sulphuric acid & phosphoric acid solution)	
14.3. Transport hazard class(e	s <u>)</u>	
ADR/RID class	Class 8 : Corrosive Substances.	
ADR/RID label	8	
IMDG class	Class 8: Corrosive substances.	
ICAO class/division	Class 8: Corrosive substances.	
Transport labels		
B		
14.4. Packing group		
ADR/RID packing group	П	
IMDG packing group	П	
ICAO packing group	П	
14.5. Environmental hazards		
Environmentally hazardous substance/marine pollutant		
14.6. Special precautions for u	ser	
EmS	F-A, S-B	
Tunnel restriction code	(E)	
14.7. Transport in bulk accordi	ng to Annex II of MARPOL and the IBC Code	
Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code	Not relevant. for a packaged product.	
SECTION 15: Regulatory information		
15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture		
EU legislation	Safety Data Sheet prepared in accordance with REACH Commission Regulation (EU) No 2015/830 (which amends Regulation (EC) No 453/2010 & 1907/2006). The product is as classified under GHS/CLP- Regulation (EC) No 1272/2008 classification, labelling & packaging of substances & mixtures.	

Ingredients are listed with classification under GHS/CLP - Regulation (EC) No 1272/2008 classification, labelling & packaging of substances & mixtures.

15.2. Chemical safety assessment

No chemical safety assessment has been carried out as not applicable as this product is a mixture. **SECTION 16: Other information** Abbreviations and acronyms PBT: Persistent, Bioaccumulative and Toxic substance. used in the safety data sheet vPvB: Very Persistent and Very Bioaccumulative. ATE: Acute Toxicity Estimate. ADR: European Agreement concerning the International Carriage of Dangerous Goods by Road. IMDG: International Maritime Dangerous Goods. ICAO-TI: Technical Instructions for the Safe Transport of Dangerous Goods by Air. REACH: Registration, Evaluation, Authorisation and Restriction of Chemicals Regulation (EC) No 1907/2006. GHS: Globally Harmonized System. Spec Conc Limits = Specific Concentration Limits. **Classification abbreviations** Acute Tox. = Acute toxicity and acronyms Aquatic Acute = Hazardous to the aquatic environment (acute) Eye Dam. = Serious eye damage Eye Irrit. = Eye irritation Skin Corr. = Skin corrosion Skin Irrit. = Skin irritation STOT SE = Specific target organ toxicity-single exposure Key literature references and Material Safety Data Sheet, Miscellaneous manufacturers. CLP Class - Table 3.1 List of sources for data harmonised classification and labeling of hazardous substances. ECHA - C&L Inventory database. **Classification procedures** Calculation Method. according to Regulation (EC) 1272/2008 **Revision comments** Safety Data Sheet amended in accordance with REACH Commission Regulation (EU) No 2015/830 amendment. (Changes to Sections 2,3,15&16) **Revision date** 17/11/2017 Revision 9 SDS status The Hazard Statements listed below in this Section No 16 relate to the Raw Materials (Ingredients) in the Product (as listed in Section 3) and NOT the product itself. For the Hazard Statements relating to this Product see Section 2. Hazard statements in full H302 Harmful if swallowed. H312 Harmful in contact with skin. H314 Causes severe skin burns and eye damage. H315 Causes skin irritation. H318 Causes serious eye damage.

H319 Causes serious eye irritation.

H332 Harmful if inhaled.

H335 May cause respiratory irritation.

H400 Very toxic to aquatic life.